Safety Data Sheet

Issue Date: 03-Feb-1992 Revision Date: 25-Jan-2023 Version 1

1. IDENTIFICATION

Product Identifier

Product Name Staticide® 4600 Ultra Dissipative Floor Finish

Recommended use of the chemical and restrictions on use

Recommended Use ESD Floor finish/floor coating.

Details of the supplier of the safety data sheet

Supplier Address ACL, Inc. 840 West 49th Place Chicago, IL 60609 (847) 981-9112

Emergency Telephone Number

Emergency Telephone

INFOTRAC 1-352-323-3500 (International) 1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Appearance White liquid Physical State Liquid Odor Mild

Classification

May cause irritation	Category 2
May cause eye irritation	Category 2

Signal Word Warning

Hazard Statements

May cause skin irritation May cause eye irritation



Revision Date: 25-Jan-2023

Precautionary Statements - Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

Wear eye/face protection

Precautionary Statements - Response

If exposed or concerned: Get medical advice/attention

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention IF ON SKIN: Wash with plenty of soap and water Take off contaminated clothing and wash it before reuse If skin irritation occurs: Get medical advice/attention

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other Hazards

Toxic to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Styrene Acrylic Copolymer	28263-96-9	10-30
2- (2-ethoxyethoxy) ethanol	111-90-0	<5
tributoxyethyl phosphate	78-51-3	<3
Zinc Oxide	1314-13-2	<1
Ammonium hydroxide	1336-21-6	<1

^{**}If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.**

4. FIRST-AID MEASURES

First Aid Measures

General Advice If exposed or concerned: Get medical advice/attention.

Eye Contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. If eye irritation persists: Get medical advice/attention.

Skin Contact Wash with plenty of soap and water. Take off contaminated clothing and wash it before reuse. If skin

irritation occurs: Get medical advice/ attention.

Inhalation Remove to fresh air.

Ingestion Clean mouth with water and drink afterwards plenty of water.

Most important symptoms and effects

Symptoms May causes skin irritation. May cause eye irritation.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Revision Date: 25-Jan-2023

Suitable Extinguishing Media

Carbon dioxide (CO2). Dry chemical.

Unsuitable Not determined.

Extinguishing Media

Specific Hazards Arising from the Chemical

Not determined.

Hazardous Combustion Products Toxic gases may be released.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Use personal protective equipment as required.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up Halt spill at source and contain or dike spill with inert absorbent material. Transfer liquid to containers

for recovery or disposal. Shovel absorbent into drums for disposal in accordance with local, state and

federal regulations.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling Handle in accordance with good industrial hygiene and safety practice. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Wash face, hands, and any exposed skin thoroughly after handling. Wear eye/face protection.

Conditions for safe storage, including any incompatibilities

Storage Conditions Store locked up.

Incompatible Materials

None known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name ACGIH TLV OSHA PEL NIOSH IDLH

AF-5500 Anti Static Floor Finish

Zinc Oxide	STEL: 10 mg/m³ respirable fraction	TWA: 5 mg/m³ fume	IDLH: 500 mg/m ³
1314-13-2	TWA: 2 mg/m ³ respirable fraction	TWA: 15 mg/m ³ total dust	Ceiling: 15 mg/m ³ dust
		TWA: 5 mg/m ³ respirable fraction	TWA: 5 mg/m ³ dust and fume
		(vacated) TWA: 5 mg/m ³ fume	STEL: 10 mg/m ³ fume
		(vacated) TWA: 10 mg/m ³ total	_
		dust	
		(vacated) TWA: 5 mg/m ³	
		respirable fraction	
		(vacated) STEL: 10 mg/m ³ fume	

Revision Date: 25-Jan-2023

Appropriate engineering controls

Engineering Controls Showers. Eyewash stations. Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Wear approved safety goggles with side shields.

Skin and Body Protection

Wear rubber gloves. Wear protective work clothing.

RespiratoryNone required in well ventilated areas. An approved organic vapor full face respirator is advised for

Protection poorly ventilated areas.

General Hygiene Considerations

Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State Liquid

Appearance White liquid Odor Mild

Color White Odor Threshold Not determined

Property Values Remarks • Method

pH 8.0-9.0
Melting Point/Freezing Point 0 °C / 32 °F
Boiling Point/Boiling Range 100 °C / 212 °F
Flash Point Non flammable

Evaporation Rate <1 to water (butyl acetate = 1)

Flammability (Solid, Gas) Liquid-Not applicable

Upper Flammability LimitsNot availableLower Flammability LimitNot availableVapor PressureNot determinedVapor Density<1 to water</th>

Vapor Density <1 to water (Air=1)

Specific Gravity
Water Solubility
Solubility in other solvents
Partition Coefficient
Not determined
Not determined
Not available

Auto-ignition Temperature Greater than 121.1 °C / 250 °F

Decomposition Temperature Not determined

Kinematic Viscosity 20

Dynamic Viscosity Not determined

Explosive Properties
Oxidizing Properties
VOC Content (%)

Not determined
Not determined
Less than 4%

10. STABILITY AND REACTIVITY

Revision Date: 25-Jan-2023

Reactivity_

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous

Under normal conditions of storage and use, hazardous polymerization will not occur.

Polymerization

Conditions to Avoid

Heat, flames and sparks.

Incompatible Materials

None known based on information supplied.

Hazardous Decomposition Products

Toxic gases may be released.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye Contact May cause eye irritation.

Skin Contact May cause skin irritation.

Inhalation Do not inhale.

Ingestion Do not ingest.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
2- (2-ethoxyethoxy) ethanol 111-90-0	= 960 mg/kg (Rat)	= 2100 µL/kg (Rabbit) = 3 mL/kg (Rat)	2620 mg/m3 (Rat) 4 h
tributoxyethyl phosphate 78-51-3	= 3000 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	> 6.4 mg/L (Rat) 4 h
Zinc Oxide 1314-13-2	> 5000 mg/kg (Rat)	-	-
Ammonium hydroxide 1336-21-6	= 350 mg/kg (Rat)	-	-

Information on physical, chemical and toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity Based on the information provided, this product does not contain any carcinogens or potential

carcinogens as listed by OSHA, IARC or NTP.

Reproductive toxicity No information available.

Otaticide 4000 Ottra Dissipative Floor Fillion

Numerical measures of toxicity

Not determined

12. ECOLOGICAL INFORMATION

Revision Date: 25-Jan-2023

Ecotoxicity

Toxic to aquatic life with long lasting effects.

Component Information

Chemical Name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
2- (2-ethoxyethoxy) ethanol 111-90-0	500: 72 h Desmodesmus subspicatus mg/L EC50	7500: 96 h Lepomis macrochirus mg/L LC50 static 7500: 96 h Lepomis macrochirus mg/L LC50 5741: 96 h Pimephales promelas mg/L LC50	EC50 > 10000 mg/L 17 h	500: 48 h Daphnia magna mg/L EC50
tributoxyethyl phosphate 78-51-3		10.4 - 12.0: 96 h Pimephales promelas mg/L LC50 flow- through		
Chemical Name	Algae/aguatic plants	Fish	Toxicity to microorganisms	Crustacae
Ammonium hydroxide 1336-21-6		8.2: 96 h Pimephales promelas mg/L LC50		0.66: 48 h water flea mg/L EC50 0.66: 48 h Daphnia pulex mg/L EC50

Persistence/Degradability

Not determined.

Bioaccumulation

Not determined.

Mobility

Chemical Name	Partition Coefficient
2- (2-ethoxyethoxy) ethanol 111-90-0	-0.8
tributoxyethyl phosphate 78-51-3	4.78

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated Packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status
Zinc Oxide 1314-13-2	Toxic
Ammonium hydroxide 1336-21-6	Toxic Corrosive

14. TRANSPORT INFORMATION

·

Revision Date: 25-Jan-2023

Note Please see current shipping paper for most up to date shipping information, including exemptions and

special circumstances.

DOT Not regulated

IATA Not regulated

IMDG

Marine Pollutant This material may meet the definition of a marine pollutant

15. REGULATORY INFORMATION

International Inventories

Chemical Name	TSCA	DSL	NDSL	EINECS	ELINCS	ENCS	IECSC	KECL	PICCS	AICS
2- (2-ethoxyethoxy) ethanol	Present	Х		Present		Present	Х	Present	Х	Х
Chemical Name	TSCA	DSL	NDSL	EINECS	ELINCS	ENCS	IECSC	KECL	PICCS	AICS
tributoxyethyl phosphate	Present	Χ		Present		Present	Χ	Present	Х	Χ
Zinc Oxide	Present	Х		Present		Present	Х	Present	Х	Х
Ammonium hydroxide	Present	Х		Present		Present	Х	Present	Х	Х

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

CERCLA

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Ammonium hydroxide	1000 lb		RQ 1000 lb final RQ
1336-21-6			RQ 454 kg final RQ

SARA 313

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
2- (2-ethoxyethoxy) ethanol - 111-90-0	111-90-0	<5	1.0
Zinc Oxide - 1314-13-2	1314-13-2	<1	1.0
Ammonium hydroxide - 1336-21-6	1336-21-6	<1	1.0

CWA (Clean Water Act)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Zinc Oxide		X		
Ammonium hydroxide	1000 lb			Х

US State Regulations

Canadas Note Cina Dissipante (1881) Innon

Revision Date: 25-Jan-2023

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
2- (2-ethoxyethoxy) ethanol 111-90-0	X		X
Zinc Oxide 1314-13-2	X	X	X
Ammonium hydroxide 1336-21-6	Х	Х	Х

16. OTHER INFORMATION

NFPA_	Health Hazards	Flammability	Instability	Special Hazards
	1	0	0	Not determined
<u>HMIS</u>	Health Hazards	Flammability	Physical Hazards	Personal Protection
	1	0	0	Not determined

Issue Date:03-Feb-1992Revision Date:25-Jan-2023Revision Note:New format

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet
