

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Section 1 CHEMICAL PRODUCT and COMPANY IDENTIFICATION

Identification: Product Name: STATICIDE® Diamond Polyurethane Floor Coating
Product Number: # 4700SS-Q, 4700SS-1, 4700SS-5

Product description: Static dissipative dark gray paint for concrete floors
Product type: Acrylic urethane paint
Application: Industrial applications

Manufacturer: ACL Incorporated
840 W 49th PL
Chicago, IL 60609
PH: (01) 847.981.9212 [U.S.A.]
FAX: (01) 847.981.9278 [U.S.A.]

Email of responsible party for SDS: marykay@aclstaticide.com

US/Canada Emergency TEL: INFOTRAC: (01) 800.535.5053 (day or night)
International Emergency TEL: INFOTRAC: 352.323.3500 (day or night)

Section 2 HAZARDOUS IDENTIFICATION

2.1 Classification of the substance or mixture

Product definition: Mixture

Physical: None

Health: Reproductive Toxicity / Category 1B - (H360)
Chronic aquatic toxicity / Category 3 - (H412)

Environmental: None

2.2 Label Elements

Hazard Pictograms:



Signal Word: Danger

Hazard Statement:

H360 - May damage fertility or the unborn child
H412 - Harmful to aquatic life with long lasting effects

Precautionary Statements:

General:

Prevention:

P201 - Obtain special instructions before use

P202 - Do not handle until all safety precautions have been read and understood
 P280 - Wear protective gloves and eye/face protection
 P273 - Avoid release to the environment

Response:

IF IN EYES, Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing (P305 +P351 + P338)

If eye irritation persists, get medical attention or advice (P337 + P313)

IF ON SKIN, wash with plenty of water. (P302 + P352)

Take off contaminated clothing and wash before reuse (P362 + P364)

Call doctor center if you feel unwell (P312)

If skin irritation or rash occurs: Get medical attention (P332 + P313)

P308 + P313 - IF exposed or concerned: Get medical advice/attention

Storage: P405 - Store locked up

Disposal: Dispose of contents in accordance with state and local laws as they vary (P501)

Unknown Acute Toxicity: No data available

Section 3	COMPOSITION / INFORMATION ON INGREDIENTS
------------------	---

CHEMICAL	C.A.S. Number	Weight %	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Titanium(IV) Oxide	13463-67-7	10-15	Carc. 2; H351
Ethylene glycol monopropyl ether	2807-30-9	<5	Flam. Liq. 3; Acute Tox. 4; Eye Irrit. 2A; H226, H312, H319
Diethylene Glycol Monobutyl Ether	112-34-5	<5	Eye Irrit. 2A; H319
Butyl benzyl phthalate	85-68-7	<5	Repr. 1B; Aquatic Acute 1; Aquatic Chronic 1; H360, H400, H410 M-Factor - Aquatic Acute: 1
Conductive Carbon Black	1333-86-4	<5	Carc. 2; H351
N-methyl-2-pyrrolidone	872-50-4	< 1	Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) Repr. 1B (H360D) STOT SE 3 (H335)
Water and other non hazardous products	7732-18-5	>67	

This product contains one or more candidate substance(s) of very high concern (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Chemical Name	CAS No	SVHC candidates
N-methyl-2-pyrrolidone	872-50-4	X

Section 4	FIRST AID MEASURES
------------------	---------------------------

4.1. Description of First Aid Measures

Inhalation: Remove to fresh air. If not breathing, give artificial respiration. Immediately call a poison center or doctor/physician.

Eye Contact: Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.

Skin Contact: Remove contaminated clothing and wash with soap and water for 15 minutes.

Ingestion: Clean mouth with water and drink afterwards plenty of water.

Protection of first-aiders: No action shall be taken involving any personal risk or without suitable training.

4.2 Most important symptoms and effects, both acute and delayed

May cause eye injury which can persist for several days. The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

Note to physician: Treat symptomatically

Section 5	FIRE FIGHTING MEASURES
------------------	-------------------------------

5.1 Extinguishing media

Suitable extinguishing media: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media: Undetermined

5.2 Special hazards arising from the substance or mixture

Hazards from the substance or mixture: Not determined

Hazardous thermal decomposition products: Not determined

5.3 Advice for firefighters

Special protective actions for fire-fighters: Wear self-contained breathing apparatus and protective suit. Use personal protective equipment as required.

Special protective equipment for fire-fighters: Undetermined

Section 6	ACCIDENTAL RELEASE MEASURES
------------------	------------------------------------

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel: Use personal protection recommended in Section 8.

For emergency responders: Use personal protective equipment as required.

6.2 Environmental precautions: Prevent from entering into soil, ditches, sewers, waterways and/or groundwater.

6.3 Methods and materials for containment and cleaning up

Methods for containment: Prevent further leakage or spillage if safe to do so.

Methods for cleaning up: Absorb with inert material and then place in suitable container for chemical waste. Rinse area with clean water and dry before permitting traffic. Notify appropriate governmental agencies if there is a danger to the public or if there is a reportable release to the environment.

6.4 Reference to other sections

See Section 1 for emergency contact information.

See Section 8 for information on appropriate personal protective equipment.

See Section 12, Ecological Information.

See Section 13 for additional waste treatment information.

Section 7	HANDLING AND STORAGE
------------------	-----------------------------

7.1 Precautions for safe handling

Protective measures: Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Ensure adequate ventilation, especially in confined areas. Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Advice on general occupational hygiene: Handle in accordance with good industrial hygiene and safety practice.

7.2 Conditions for safe storage, including any incompatibilities: Store locked up. Keep container tightly closed and store in a cool, dry and well-ventilated place. Store above 4°C (40°F). Keep from freezing. Protect from excessive heat.

7.3 Specific end use(s)

Recommendations: Dissipative floor paint.

Risk Management Methods (RMM): The information required is contained in this Safety Data Sheet.

Section 8 EXPOSURE CONTROL / PERSONAL PROTECTION

8.1 Control parameters

Occupational exposure limits

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Titanium(IV) Oxide 13463-67-7	TWA: 10 mg/m ³	TWA: 15 mg/m ³ total dust (vacated) TWA: 10 mg/m ³ total dust	IDLH: 5000 mg/m ³ TWA: 2.4 mg/m ³ CIB 63 fine TWA: 0.3 mg/m ³ CIB 63 ultrafine, including engineered nanoscale
Diethylene Glycol Monobutyl Ether 112-34-5	TWA: 10 ppm inhalable fraction and vapor	-	-
Carbon Black 1333-86-4	TWA: 3 mg/m ³ inhalable particulate matter	TWA: 3.5 mg/m ³ (vacated) TWA: 3.5 mg/m ³	IDLH: 1750 mg/m ³ TWA: 3.5 mg/m ³ TWA: 0.1 mg/m ³ Carbon black in presence of Polycyclic aromatic hydrocarbons PAH

DNELs/DMELs: No DNELs/DMELs available.

PNECs: No PNECs available

8.2 Exposure controls

Appropriate engineering controls: Apply technical measures to comply with the occupational exposure limits. Eyewash stations. Showers

Individual protection measures

Hygiene measures: Wash hands before eating, smoking and using the lavatory and at the end of the working period. When using, do not eat or drink. When using, do not smoke.

Eye/face protection: Splash resistant goggles.

Hand protection: For operations where prolonged or repeated skin contact may occur, impervious gloves should be worn.

Other skin protection: Suitable protective clothing.

Respiratory protection: Ensure adequate ventilation, especially in confined areas. In case of inadequate ventilation wear respiratory protection.

Section 9 PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Physical State	Liquid
Appearance	Grey opaque liquid
Odor	Mild
pH	Not Determined
Melting point/freezing point	Not Determined
Initial boiling point and boiling range	>100 °C / >212 °F
Flash point and method	Not Determined
Evaporation rate	Slower than Butyl (n-Butyl=1)
Flammability (solid, gas, liquid)	Not a flammable liquid
Upper/lower flammability or explosive limits	LEL: Not Determined UEL: Not Determined
Vapor pressure	Not Determined

Vapor density (air=1)	Not Determined
Relative density	Not Determined
Solubility(ies).	Not Determined
Partition coefficient: n-octanol/water	Not Determined
Autoignition temperature	Not Determined
Decomposition temperature	Not Determined
Viscosity	Not Determined
Volatile by weight	Not Determined

9.2 Other safety information

VOC	25 g/L
-----	--------

Section 10 STABILITY AND REACTIVITY

10.1 Reactivity: Not reactive under normal conditions.

10.2 Chemical stability: Stable under normal storage conditions.

10.3 Possibility of hazardous reactions: Under normal conditions of storage and use, hazardous reactions will not occur.
Hazardous reactions are not expected to occur during normal processes.

10.4 Conditions to avoid: Keep out of reach of children. See Sec. 7 Handling & Storage.

10.5 Incompatible Materials: Not Determined

10.6 Hazardous decomposition products: Not Determined

Section 11 TOXICOLOGY INFORMATION

Acute toxicity: Product does not present an acute toxicity hazard based on known or supplied information.

Inhalation: Do not inhale

Eye Contact: Avoid contact with eyes

Skin Contact: Avoid contact with skin

Ingestion: Do not ingest

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Titanium(IV) Oxide 13463-67-7	> 10000 mg/kg (Rat)	-	-
Ethylene glycol monopropyl ether 2807-30-9	= 3089 mg/kg (Rat)	= 870 mg/kg (Rabbit) = 960 µL/kg (Rabbit)	= 1530 ppm (Rat) 7 h
Diethylene Glycol Monobutyl Ether 112-34-5	= 5660 mg/kg (Rat)	= 2700 mg/kg (Rabbit)	-
Butyl benzyl phthalate 85-68-7	= 2330 mg/kg (Rat)	= 6700 mg/kg (Rat)	> 6.7 mg/L (Rat) 4 h
Carbon Black 1333-86-4	> 15400 mg/kg (Rat)	> 3 g/kg (Rabbit)	-
Sodium Lignosulfonate 8061-51-6	> 40 g/kg (Rat)	-	-
N-methyl-2-pyrrolidone 872-50-4	= 3914 mg/kg (Rat)	= 8 g/kg (Rabbit)	> 5.1 mg/L (Rat) 4 h

Irritation/Corrosion: Not classified.

Sensitization: Not classified.

Mutagenicity: Not classified.

Symptoms related to the physical, chemical and toxicological characteristics

Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity: Titanium dioxide is a possible carcinogen when it appears as a respirable dust. Carbon black is a possible carcinogen when it appears as a respirable dust.

Chemical name	ACGIH	IARC	NTP	OSHA
---------------	-------	------	-----	------

Titanium(IV) Oxide 13463-67-7		Group 2B		X
Butyl benzyl phthalate 85-68-7		Group 3		
Carbon Black 1333-86-4	A3	Group 2B		X

Reproductive toxicity: May damage fertility or the unborn child.

Teratogenicity: Not available

Specific target organ toxicity (single exposure): Not classified

Specific target organ toxicity (repeated exposure): Not classified.

Aspiration hazard: Not available

Information on the likely routes of exposure: Not available.

Additional Information:

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

Oral LD50	25,307.80 mg/kg
Dermal LD50	15,709.50 mg/kg
Gas	37,582.80 mg/L
ATEmix (inhalation-dust/mist)	360.08 mg/L

Section 12	ECOLOGICAL INFORMATION
-------------------	-------------------------------

12.1 Toxicity: Harmful to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Crustacea
Diethylene Glycol Monobutyl Ether 112-34-5	100: 96 h Desmodemus subspicatus mg/L EC50	1300: 96 h Lepomis macrochirus mg/L LC50 static	100: 48 h Daphnia magna mg/L EC50 2850: 24 h Daphnia magna mg/L EC50
Butyl benzyl phthalate 85-68-7	0.02 - 0.25: 96 h Pseudokirchneriella subcapitata mg/L EC50 0.2 - 28.2: 72 h Pseudokirchneriella subcapitata mg/L EC50	0.82: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 1.0 - 10.0: 96 h Oncorhynchus mykiss mg/L LC50 static 0.78: 96 h Pimephales promelas mg/L LC50 static 1.39 - 3.88: 96 h Pimephales promelas mg/L LC50 flow-through 1.0 - 10.0: 96 h Lepomis macrochirus mg/L LC50 static	0.9 - 1.1: 48 h Daphnia magna mg/L EC50 Static 1.28: 48 h Daphnia magna mg/L EC50 semi-static 0.97: 48 h Daphnia magna mg/L EC50 0.76: 48 h Daphnia magna mg/L EC50 Flow through
Carbon Black 1333-86-4			5600: 24 h Daphnia magna mg/L EC50
Sodium Lignosulfonate 8061-51-6		7300: 48 h Oncorhynchus mykiss mg/L LC50	
N-methyl-2-pyrrolidone 872-50-4	500: 72 h Desmodemus subspicatus mg/L EC50	1072: 96 h Pimephales promelas mg/L LC50 static 832: 96 h Lepomis macrochirus mg/L LC50 static 1400: 96 h Poecilia reticulata mg/L LC50 static 4000: 96 h Leuciscus idus mg/L LC50 static	4897: 48 h Daphnia magna mg/L EC50

12.2 Persistence and degradability : Not determined.

12.3 Bioaccumulative potential: There is no data for this product.

12.4 Mobility in soil

Chemical name	Partition coefficient
Butyl benzyl phthalate 85-68-7	3.57 - 4.91
N-methyl-2-pyrrolidone 872-50-4	-0.46

Soil/water partition coefficient (KOC): Not determined

12.5 Results of PBT and vPvB assessment: Not determined

12.6 Other adverse effects: Not determined.

Section 13	DISPOSAL CONSIDERATIONS
-------------------	--------------------------------

Waste Treatment Methods

Waste from Residues / Unused Products Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated Packaging: Improper disposal or reuse of this container may be dangerous and illegal.

Section 14	TRANSPORTATION INFORMATION
-------------------	-----------------------------------

	Proper Shipping Name	Hazard Class	UN number	NOTE
US DOT ground	Non Hazardous Material	NA	NA	
US DOT air	Non Hazardous Material	NA	NA	
IATA	Non Hazardous Material	NA	NA	
IMDG	Non Hazardous Material	NA	NA	

Section 15	REGULATORY INFORMATION
-------------------	-------------------------------

US Federal Regulations: SDS complies with the OSHA Hazard Communication Rule, 29 CFR 1910.1200.

SARA Section 313:

Chemical name	CAS No	Weight-%	SARA 313 - Threshold Values %
Ethylene glycol monopropyl ether - 2807-30-9	2807-30-9	<5	1.0
Diethylene Glycol Monobutyl Ether - 112-34-5	112-34-5	<5	1.0
N-methyl-2-pyrrolidone - 872-50-4	872-50-4	<1	1.0

CWA (Clean Water Act)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Butyl benzyl phthalate		X	X	

STATE REGULATIONS:

The following chemicals are specifically listed by individual state; other product specific health and safety data in other sections of the SDS may also be applicable for state requirements. For details on your regulatory requirements you should contact the appropriate agency in your state

Chemical name	New Jersey	Massachusetts	Pennsylvania
Titanium(IV) Oxide 13463-67-7	X	X	X
Ethylene glycol monopropyl ether 2807-30-9	X		X
Diethylene Glycol Monobutyl Ether 112-34-5	X		X
Butyl benzyl phthalate 85-68-7	X	X	X
Carbon Black 1333-86-4	X	X	X
N-methyl-2-pyrrolidone 872-50-4	X	X	X

California Proposition 65:

Chemical name	California Proposition 65
Titanium(IV) Oxide - 13463-67-7	Carcinogen
Butyl benzyl phthalate - 85-68-7	Developmental
Carbon Black - 1333-86-4	Carcinogen
N-methyl-2-pyrrolidone - 872-50-4	Developmental



WARNING: This product can expose you to chemicals including (Titanium(IV) Oxide, CAS#13463-67-7; Carbon Black, CAS#1333-86-4), which are known to the State of California to cause cancer, and (Butyl benzyl phthalate, CAS#85-68-7; N-methyl-2-pyrrolidone, CAS#872-50-4), which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

INTERNATIONAL REGULATIONS:

15.1. Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture

Canada WHMIS: This product has been classified in accordance with the hazard criteria of the CPR and the SDS contains all the information required by the CPR. All Intentionally present components are listed on the DSL

European Union: Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work. This product contains one or more candidate substance(s) of very high concern (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Chemical Name	CAS No	SVHC candidates
N-methyl-2-pyrrolidone	872-50-4	X

Ozone-depleting substances (ODS) regulation (EC) 1005/2009 : Not applicable

Occupational Illnesses (R-463-3, France)

Chemical Name	French RG number
N-methyl-2-pyrrolidone 872-50-4	RG 84
Triethylamine 121-44-8	RG 49, RG 49bis

International Inventories

Component	TSCA	DSL/NDSL	EINECS/ELINCS	PICCS	ENCS	IECSC	AICS	KECL
N-methyl-2-pyrrolidone 872-50-4 (<5)	X	X	X	X	Present	X	X	Present
Triethylamine 121-44-8 (<1)	X	X	X	X	Present	X	X	Present

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

PICCS - Philippines Inventory of Chemicals and Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

AICS - Australian Inventory of Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

15.2. Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

Sections 16	OTHER INFORMATION
--------------------	--------------------------

NFPA HAZARD RATING: (0) Fire (1) Health (0) Reactivity

REVISION DATES, SECTIONS, REVISED BY:

16-FEB-92,	Original release date
02-APR-01,	Reviewed
22-APR-05	All Sections, mkb
08-FEB-10	Revised to EU format and address, mkb
18-JUNE-12	Section 3, mkb
16-AUG-16	All sections, mkb
18-Aug-16	Section 3, mkb
11-Nov-19	All sections review, mkb

ABBREVIATIONS USED IN THIS DOCUMENT:

NE – Not Established, NA – Not Applicable, NIF – No Information Found

ABRIDGED LIST OF REFERENCES:

Code of Federal Regulations (CFR)
The Sigma-Aldrich Library of Regulatory and Safety Data
Chemical Guide and OSHA Hazardous Communication Standard
US Department of Labor; Occupational Safety & Health Administration (www.osha.gov)
The Environmental Protection Agency (www.epa.gov)
The Globally Harmonized System of Classification and Labeling of Chemicals (GHS)
Government of Canada: <http://canadagazette.gc.ca/news-e.html>

To the best of our knowledge, the information contained herein is accurate. However, neither ACL STATICIDE nor any of its subsidiaries assumes any liability **whatsoever for the accuracy or completeness of the information contained herein.** Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards which exist.