# **Safety Data Sheet**

Issue Date: 23-Jun-2025 Revision Date: 23-Jun-2025 Version 1

## 1. IDENTIFICATION

**Product identifier** 

Product Name Staticide Heavy Duty

Other means of identification

**SDS #** ACL-015

**Product Codes** #2002, #2005, #520

Recommended use of the chemical and restrictions on use

**Recommended use** For industrial use.

Details of the supplier of the safety data sheet

**Supplier Address** 

ACL, Inc. 840 West 49th Place Chicago, IL 60609 (847) 981-9112

Emergency telephone number

Emergency Telephone INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

## 2. HAZARDS IDENTIFICATION

Appearance Yellow liquid Physical state Liquid Odor Aromatic

#### Classification

This chemical does not meet the hazardous criteria set forth by the OSHA Hazard Communication Standard (29 CFR 1910.1200). However, this Safety Data Sheet (SDS) contains valuable information critical to the safe handling and proper use of this product. This SDS should be retained and available for employees and other users of this product.

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

Chemical name	CAS No.	Weight-%
Isopropyl Alcohol	67-63-0	1-5
Ethyl Alcohol	64-17-5	<0.1
Diphenyl Oxide	101-84-8	<0.1
Water	7732-18-5	Balance

<sup>\*\*</sup>If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

## 4. FIRST AID MEASURES

## **Description of first aid measures**

**General Advice** If exposed or concerned: Get medical advice/attention.

Eye Contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Inhalation

**Skin Contact** Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash

> contaminated clothing before reuse. If skin irritation occurs: Get medical advice/attention. Remove person to fresh air and keep comfortable for breathing. Call a poison center or

Revision Date: 23-Jun-2025

doctor/physician if you feel unwell.

Ingestion Call a poison center or doctor/physician if you feel unwell. Rinse mouth.

#### Most important symptoms and effects, both acute and delayed

**Symptoms** Not determined.

#### Indication of any immediate medical attention and special treatment needed

**Notes to Physician** Treat symptomatically.

## 5. FIRE-FIGHTING MEASURES

#### **Suitable Extinguishing Media**

Use CO2, dry chemical, or foam for extinction.

Unsuitable Extinguishing Media Not determined.

#### **Specific Hazards Arising from the Chemical**

Not determined.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

#### 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

**Personal Precautions** Use personal protective equipment as required.

**Environmental precautions** 

**Environmental precautions** See Section 12 for additional Ecological Information.

## Methods and material for containment and cleaning up

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

**Methods for Clean-Up** Keep in suitable, closed containers for disposal.

## 7. HANDLING AND STORAGE

## Precautions for safe handling

Advice on Safe Handling Handle in accordance with good industrial hygiene and safety practice. Wash face, hands

and any exposed skin thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing and eye/face protection.

#### Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep containers tightly closed in a dry, cool and well-ventilated place. Revision Date: 23-Jun-2025

None known based on information supplied. **Incompatible Materials** 

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Exposure Guidelines** 

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Isopropyl Alcohol	TWA: 200 ppm	TWA: 400 ppm	TWA: 400 ppm;
67-63-0	STEL: 400 ppm	TWA: 980 mg/m <sup>3</sup>	TWA: 980 mg/m <sup>3</sup> ;
		(vacated) TWA: 400 ppm	STEL: 500 ppm
		(vacated) TWA: 980 mg/m <sup>3</sup>	STEL: 1225 mg/m <sup>3</sup>
		(vacated) STEL: 500 ppm	IDLH: 2000 ppm
		(vacated) STEL: 1225 mg/m <sup>3</sup>	
Diphenyl Oxide	TWA: 1 ppm vapor	TWA: 1 ppm vapor	TWA: 1 ppm; vapor
101-84-8	STEL: 2 ppm vapor fraction	TWA: 7 mg/m³ vapor	TWA: 7 mg/m³; vapor
		(vacated) TWA: 1 ppm_vapor	IDLH: 100 ppm_vapor
		(vacated) TWA: 7 mg/m³ vapor	
Ethyl Alcohol	STEL: 1000 ppm	TWA: 1000 ppm	TWA: 1000 ppm;
64-17-5		TWA: 1900 mg/m <sup>3</sup>	TWA: 1900 mg/m <sup>3</sup> ;
		(vacated) TWA: 1000 ppm	IDLH: 3300 ppm
		(vacated) TWA: 1900 mg/m <sup>3</sup>	

#### Appropriate engineering controls

**Engineering Controls** Showers. Eyewash stations. Ventilation systems.

#### Individual protection measures, such as personal protective equipment

**Eye/Face Protection** Refer to 29 CFR 1910.133 for eye and face protection regulations.

**Skin and Body Protection** Refer to 29 CFR 1910.138 for appropriate skin and body protection.

Refer to 29 CFR 1910.134 for respiratory protection requirements. **Respiratory Protection** 

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Physical state Liquid

**Appearance** Yellow liquid Odor Aromatic Color Yellow **Odor Threshold** Not determined

Remarks • Method **Property** <u>Values</u>

5.5-6.5 pН

Melting point / freezing point No data available Initial boiling point and boiling No data available

range

Flash point No data available **Evaporation rate** Not determined Flammability (Solid, Gas) Not determined

Flammability Limit in Air

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

**Vapor Pressure** Not determined Relative vapor density No data available **Relative Density** 0.995-1.005 **Water Solubility** Not determined

Solubility in other solvents Not determined **Partition Coefficient** Not determined **Autoignition temperature** No data available **Decomposition temperature** Not determined Kinematic viscosity Not determined Dynamic viscosity Not determined **Explosive Properties** Not determined **Oxidizing Properties** Not determined

# 10. STABILITY AND REACTIVITY

Revision Date: 23-Jun-2025

#### Reactivity

Not reactive under normal conditions.

#### **Chemical stability**

Stable under recommended storage conditions.

#### Possibility of hazardous reactions

None under normal processing.

#### **Conditions to Avoid**

Keep out of reach of children.

#### **Incompatible materials**

None known based on information supplied.

## **Hazardous decomposition products**

None known based on information supplied.

## 11. TOXICOLOGICAL INFORMATION

## Information on likely routes of exposure

**Product Information** 

**Eye Contact** Avoid contact with eyes.

**Skin Contact** Avoid contact with skin.

**Inhalation** Avoid inhalation.

**Ingestion** Avoid ingestion.

**Component Information** 

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Isopropyl Alcohol 67-63-0	4710 - 5840 mg/kg (Rat)	= 4059 mg/kg(Rabbit)	> 10000 ppm (Rat) 6 h
Alkyl dimethyl benzyl ammonium chloride (C12-18) 68391-01-5	= 850 mg/kg(Rat)	= 2300 mg/kg(Rabbit)	-
Trade Secret	-	= 2300 mg/kg(Rabbit)	-
Ethyl Alcohol 64-17-5	= 7060 mg/kg(Rat)	-	= 116.9 mg/L (Rat)4 h = 133.8 mg/L (Rat)4 h
Diphenyl Oxide 101-84-8	= 2450 mg/kg(Rat)	> 7940 mg/kg(Rabbit)	-
Trade Secret	= 3600 mg/kg ( Rat )	> 5 g/kg(Rabbit)	-
Trade Secret	> 5000 mg/kg (Rat)	> 10 g/kg (Rabbit)	> 2.99 mg/L (Rat)4 h

Page 4/8

ı/kg(Rat) >	> 5000 mg/kg(Rabbit)	> 0.18 mg/L (Rat)7 h
ı/kg(Rat) =	= 1200 mg/kg(Rabbit)	-
/kg(Rat) =	= 5610 mg/kg(Rabbit)	-
/kg(Rat)	> 2000 mg/kg(Rabbit)	-
/kg(Rat)	> 5000 mg/kg(Rabbit)	-
/kg(Rat)	> 2000 mg/kg(Rabbit)	-
/kg(Rat)	-	-
/kg(Rat)	> 3000 mg/kg(Rabbit)	> 5 mg/L (Rat)4 h
ı/kg(Rat) =	= 1260 mg/kg(Rabbit)	-
ı/kg ( Rat ) =	2000 mm/len / Dahhit )	
	/kg (Rat) > /kg (Rat) > /kg (Rat)   > /kg (Rat)   > /kg (Rat)   > /kg (Rat)   = /kg (Rat)     = /kg (Rat)	/kg (Rat) > 5000 mg/kg (Rabbit) /kg (Rat) > 2000 mg/kg (Rabbit) /kg (Rat) - /kg (Rat) > 3000 mg/kg (Rabbit) /kg (Rat) = 1260 mg/kg (Rabbit)

## Symptoms related to the physical, chemical and toxicological characteristics

**Symptoms** Please see section 4 of this SDS for symptoms.

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity Ethanol has been shown to be carcinogenic in long-term studies only when consumed as

an alcoholic beverage. Group 3 IARC components are "not classifiable as human

Revision Date: 23-Jun-2025

carcinogens".

Chemical name	ACGIH	IARC	NTP	OSHA
Isopropyl Alcohol	A4 - Not Classifiable as a	Group 3		Present
67-63-0	Human Carcinogen			
Ethyl Alcohol	A3 - Confirmed Animal	Group 1 - Carcinogenic to	Known Human Carcinogen	Present
64-17-5	Carcinogen with Unknown	humans	_	
	Relevance to Humans			

#### **Numerical measures of toxicity**

The following ATE values have been calculated for the mixture

ATEmix (oral) >5,000 mg/kg ATEmix (dermal) >5,000 mg/kg

## 12. ECOLOGICAL INFORMATION

## **Ecotoxicity**

Harmful to aquatic life with long lasting effects.

**Component Information** 

Chemical name	Algae/aquatic plants	Fish	Crustacea
Isopropyl Alcohol	EC50: >1000mg/L (96h,	LC50: =9640mg/L (96h, Pimephales	EC50: =13299mg/L (48h, Daphnia
67-63-0	Desmodesmus subspicatus)	promelas)	magna)
	EC50: >1000mg/L (72h,	LC50: =11130mg/L (96h,	
	Desmodesmus subspicatus)	Pimephales promelas)	
		LC50: >1400000µg/L (96h, Lepomis	
		macrochirus)	
Ethyl Alcohol		LC50: 12.0 - 16.0mL/L (96h,	LC50: 9268 - 14221mg/L (48h,
64-17-5		Oncorhynchus mykiss)	Daphnia magna)
		LC50: >100mg/L (96h, Pimephales	EC50: =2mg/L (48h, Daphnia
		promelas)	magna)
		LC50: 13400 - 15100mg/L (96h,	

Page 5/8

		Pimephales promelas)	
Diphenyl Oxide		LC50: =4mg/L (96h, Pimephales	LC50: 0.11 - 1.1mg/L (48h, Daphnia
101-84-8		promelas)	magna)
		LC50: 4 - 7.9mg/L (96h, Pimephales	
		promelas)	
Trade Secret		LC50: =22mg/L (96h, Danio rerio)	
Trade Secret		LC50: 2.2 - 4.6mg/L (96h,	EC50: =10.7mg/L (48h, Daphnia
		Brachydanio rerio)	magna)
Trade Secret	EC50: =88.3mg/L (96h,	LC50: =27.8mg/L (96h,	EC50: =20mg/L (48h, Daphnia
	Desmodesmus subspicatus)	Oncorhynchus mykiss)	magna)
Trade Secret		LC50: =1.03mg/L (96h, Danio rerio)	

Revision Date: 23-Jun-2025

## Persistence/Degradability

Not determined.

#### **Bioaccumulation**

There is no data for this product.

Mobility

Chemical name	Partition coefficient
Isopropyl Alcohol 67-63-0	0.05
Ethyl Alcohol 64-17-5	-0.35
Diphenyl Oxide 101-84-8	4.21

## Other adverse effects

Not determined

## 13. DISPOSAL CONSIDERATIONS

## **Disposal methods**

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

California Hazardous Waste Status

Camorina Hazardodo Hacto Ctatac	
Chemical name	California Hazardous Waste Status
Isopropyl Alcohol	Toxic
67-63-0	Ignitable
Ethyl Alcohol	Toxic
64-17-5	Ignitable

# 14. TRANSPORT INFORMATION

**Note** Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances.

**DOT** Not regulated

IATA Not regulated

IMDG Not regulated

## 15. REGULATORY INFORMATION

Revision Date: 23-Jun-2025

#### **International Inventories**

Chemical name	TSCA	TSCA Inventory	DSL/NDSL	EINECS/ELI	ENCS	IECSC	KECL	PICCS	AIIC
		Status		NCS					
Methyl bis(2-hydroxyethyl)	X	ACTIVE	X			X	X		
cocoalkyl quaternary									
ammonium nitrates									
Isopropyl Alcohol	Х	ACTIVE	X	X	X	X	X	X	X
Trade Secret	Х	ACTIVE	X	X		X	X	X	X
Alkyl dimethyl benzyl ammonium chloride (C12-18)	X	ACTIVE	X	X	X	X	X	X	×
Trade Secret	Х			X		X			
Ethyl Alcohol	Х	ACTIVE	Х	X	Х	X	X	X	Х
Diphenyl Oxide	Х	ACTIVE	Х	X	Х	X	X	X	X
Trade Secret	Х	ACTIVE	Х	X	Х	X	Х	Х	Х
Amines, C12-18-	Х	ACTIVE	Х	Х	Х	X		X	Х
_ alkyldimethyl									
Trade Secret	Х	ACTIVE	Х	X	Х	Х	Х	Х	Х
Trade Secret	X	ACTIVE	X	X	X	X	X	X	X
Trade Secret	Х	ACTIVE	Х			X	Х	Х	Х
Trade Secret	X	ACTIVE	Х	X	Х	X	X	X	X
Trade Secret	Х	ACTIVE	Х	X	Х	X	Х	Х	Х
Trade Secret	Х	ACTIVE	Х	X	Х	X	X	X	Х
Trade Secret	Х	ACTIVE	Х	X	Х	Х	Х	X	Х
Trade Secret	Х	ACTIVE	Х	X	Х	X	Х	Х	Х
Trade Secret	Х	ACTIVE	Х	X	Х	Х	Х	Х	Х
Trade Secret	Х	ACTIVE	Х	X	Х	X	Х	Х	Х
Trade Secret	Х	ACTIVE	Х	X	Х	X	Х	Х	Х

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing Chemicals Inventory

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

#### US Federal Regulations

## **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	CAS No.	Weight-%	SARA 313 - Threshold Values %
Isopropyl Alcohol - 67-63-0	67-63-0	1-5	1.0

#### **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40

CFR 122.42)

#### **US State Regulations**

## **California Proposition 65**

Ethyl alcohol is only considered a Proposition 65 developmental hazard when it is ingested as an alcoholic beverage

Chemical name	California Proposition 65
Ethyl Alcohol - 64-17-5	Carcinogen
	Developmental

Revision Date: 23-Jun-2025

#### U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Methyl bis(2-hydroxyethyl) cocoalkyl	X		
quaternary ammonium nitrates 71487-00-8			
Isopropyl Alcohol	Χ	X	X
67-63-0			

## **16. OTHER INFORMATION**

NFPA Health hazards - Flammability - Instability - Special hazards - HMIS Health hazards - Flammability - Physical hazards - Personal protection -

Issue Date:23-Jun-2025Revision Date:23-Jun-2025Revision Note:New product

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet** 

Page 8/8